

Technical Data Sheet

InVivoMAb anti-mouse/human IL-7



Attention: Use of this product constitutes an agreement to Bio X Cell's Terms and Conditions which are included with this product in print and can also be found at <https://bioxcell.com/terms-and-conditions>.

Lot Specific Information

Lot Number: Lot Specific*
Volume: Lot Specific*
Concentration: Lot Specific* (generally 4 to 11 mg/ml) *
Total Protein: Lot Specific*

*This information will be noted on the certificate of analysis that ships with this product.

Product Information

Catalog Number:	BE0048
Clone:	M25
Isotype:	Mouse IgG2b
Recommended Isotype Control(s):	InVivoMAb mouse IgG2b isotype control, unknown specificity
Recommended Dilution Buffer:	InVivoPure pH 7.0 Dilution Buffer
Immunogen:	Recombinant human IL-7
Reported Applications:	<i>in vivo</i> IL-7 neutralization <i>in vivo</i> IL-7 receptor stimulation (as a complex with IL-7)
Formulation:	PBS, pH 7.0 Contains no stabilizers or preservatives
Endotoxin:	<2EU/mg (<0.002EU/μg) Determined by LAL gel clotting assay
Purity:	>95% Determined by SDS-PAGE
Sterility:	0.2 μm filtered
Production:	Purified from cell culture supernatant in an animal-free facility
Purification:	Protein G
RRID:	AB_1107711
Molecular Weight:	150 kDa

Description

The M25 monoclonal antibody reacts with mouse and human IL-7, a 20-28 kDa hematopoietic growth factor secreted by stromal cells in the bone marrow and thymus. IL-7 is also produced by keratinocytes, dendritic cells, hepatocytes, neurons, and epithelial cells. IL-7 binds to the IL-7 receptor, a heterodimer consisting of IL-7 receptor alpha and the common gamma chain receptor. Binding results in stimulation of differentiation of pluripotent hematopoietic stem cells into lymphoid progenitor cells and proliferation of all lymphoid cells. IL-7 is also important for proliferation of pre-B cells as well as T and NK cell survival, development and homeostasis. The M25 antibody is useful for neutralizing the bioactivity of IL-7 as well as administration of IL-7 cytokine. IL-7 administration as a complex with M25 prolongs IL-7 availability *in vivo* by decreasing specific and nonspecific consumption.

Storage

Store at the stock concentration at 4°C. **Do not freeze.**

It is not uncommon for a floccule or precipitate to appear during storage. The floccule is typically buffer salts precipitating out of solution or a small bit of protein aggregation. For information on how to remove floccules or precipitates see our FAQ's at <https://bioxcell.com/faqs>.

Protocol Information

Since applications vary, each investigator should use the application references as a guide to help estimate the appropriate dose or concentration. The dose or concentration can be further optimized experimentally in a dose response or titration experiment.

Application References

For a complete list of references, visit https://bioxcell.com/catalogsearch/result/?q=BE0048#tab_references or scan the QR code below.



Bio X Cell, LLC

<https://bioxcell.com>

+1-866-787-3444

customerservice@bioxcell.com

Conditions: For research use only. Not for use in diagnostic or therapeutic procedures.

Not for resale.

Bio X Cell, Bio X Cell logo, and all other trademarks are the property of Bio X Cell, LLC © 2024 Bio X Cell, LLC