

# Technical Data Sheet

## InVivoMAb anti-mouse/human TYRP1/TRP1 (gp75)



**Attention:** Use of this product constitutes an agreement to Bio X Cell's Terms and Conditions which are included with this product in print and can also be found at <https://bioxcell.com/terms-and-conditions>.

### Lot Specific Information

Lot Number: Lot Specific\*  
Volume: Lot Specific\*  
Concentration: Lot Specific\* (generally 4 to 11 mg/ml) \*  
Total Protein: Lot Specific\*

\*This information will be noted on the certificate of analysis that ships with this product.

### Product Information

Catalog Number: BE0151  
Clone: TA99  
Isotype: Mouse IgG2a,  $\kappa$   
Recommended Isotype Control(s): InVivoMAb mouse IgG2a isotype control, unknown specificity  
Recommended Dilution Buffer: InVivoPure pH 7.0 Dilution Buffer  
Immunogen: SK-MEL-23 melanoma cells  
Reported Applications: *in vivo* triggering of Fc $\gamma$ Rs  
Immunofluorescence  
Flow cytometry  
Formulation: PBS, pH 7.0  
Contains no stabilizers or preservatives  
Endotoxin: <2EU/mg (<0.002EU/ $\mu$ g)  
Determined by LAL gel clotting assay  
Purity: >95%  
Determined by SDS-PAGE  
Sterility: 0.2  $\mu$ m filtered  
Production: Purified from cell culture supernatant in an animal-free facility  
Purification: Protein G  
RRID: [AB\\_10949462](https://europepmc.org/abstract/DOI/10.26434/chemrxiv-2020-10949)  
Molecular Weight: 150 kDa

### Description

The TA99 monoclonal antibody reacts with human and mouse tyrosinase-related protein 1 (TYRP1) also known as glycoprotein 75 (gp75) and MEL-5. TYRP1 is a melanocyte-specific enzyme involved in melanin synthesis as well as the proliferation and cell death of melanocytes. TYRP1 is critical for skin, eye, and hair pigmentation.

### Storage

Store at the stock concentration at 4°C. **Do not freeze.**

It is not uncommon for a floccule or precipitate to appear during storage. The floccule is typically buffer salts precipitating out of solution or a small bit of protein aggregation. For information on how to remove floccules or precipitates see our FAQ's at <https://bioxcell.com/faqs>.

### Protocol Information

Since applications vary, each investigator should use the application references as a guide to help estimate the appropriate dose or concentration. The dose or concentration can be further optimized experimentally in a dose response or titration experiment.

## Application References

For a complete list of references, visit [https://bioxcell.com/catalogsearch/result/?q=BE0151#tab\\_references](https://bioxcell.com/catalogsearch/result/?q=BE0151#tab_references) or scan the QR code below.



---

**Bio X Cell, LLC**

<https://bioxcell.com>

+1-866-787-3444

[customerservice@bioxcell.com](mailto:customerservice@bioxcell.com)

*Conditions: For research use only. Not for use in diagnostic or therapeutic procedures.*

*Not for resale.*

**Bio X Cell, Bio X Cell logo, and all other trademarks are the property of Bio X Cell, LLC © 2024 Bio X Cell, LLC**