#### **Technical Data Sheet**

# InVivoMAb anti-human/monkey CD20



### **Lot Specific Information**

Lot Number: Lot Specific\* Volume: Lot Specific\*

Concentration: Lot Specific\* (generally 4 to 11 mg/ml) \*

**Total Protein:** Lot Specific\*

\*This information will be noted on the certificate of analysis that ships with this product.

#### **Product Information**

**Reported Applications:** 

**Catalog Number: BE0276** 2H7 Clone:

Isotype: Mouse IgG2b, κ

Recommended Isotype Control(s): InVivoMAb mouse IgG2b isotype control, unknown specificity

**Recommended Dilution Buffer:** InVivoPure pH 7.0 Dilution Buffer

Immunogen: Human tonsillar B cells

in vivo B cell depletion in hCD20 Tg mice

Immunohistochemistry (frozen)

Immunoprecipitation

Flow cytometry PBS, pH 7.0

Formulation: Contains no stabilizers or preservatives

<2EU/mg (<0.002EU/µg)

Determined by LAL gel clotting assay

**Purity:** Determined by SDS-PAGE

Sterility: 0.2 µM filtered

**Production:** Purified from tissue culture supernatant in an animal free facility

**Purification:** Protein A RRID: AB\_2687799 **Molecular Weight:** 150 kDa

#### **Description**

**Endotoxin:** 

The 2H7 monoclonal antibody reacts with human and primate CD20. CD20 is a B cell-specific 33-37 kDa transmembrane protein which is also known as Blymphocyte antigen, B1, and Bp35. CD20 plays roles in intracellular calcium regulation and B cell activation and is critical for an optimal B cell immune response against T-independent antigens. CD20 is first expressed after the induction of CD19 together with IgM during the pre-B to immature B cell transition in the bone marrow. It's expression then increases during maturation with almost all mature B cells expressing some level of CD20. However, CD20 is not expressed by plasma blasts or plasma cells. CD20 is expressed by most B cell neoplasms, and is useful in diagnosing B cell lymphomas and leukemia. Many anti-CD20 monoclonal antibodies are currently being used to successfully treat leukemia, lymphomas, and various autoimmune diseases. The 2H7 monoclonal antibody has been shown to bind to an epitope in the large extracellular loop of human CD20.

#### **Shelf-life and Storage**

Store at the stock concentration at 4°C. Do not freeze.

All Bio X Cell antibodies have a guaranteed shelf-life of one year from the date of customer receipt when stored as recommended. It is not uncommon for a floccule or precipitate to appear during storage. The floccule is typically buffer salts precipitating out of solution or a small bit of protein aggregation. For information on how to remove floccules or precipitates see our FAQ's at bxcell.com/faqs.

## **Protocol Information**

Since applications vary, each investigator should use the application references as a guide to help estimate the appropriate dose or concentration. The dose or concentration can be further optimized experimentally in a dose response or titration experiment.

#### **Application References**

For a complete list of references, visit https://bxcell.com/product/invivomab-anti-humanmonkey-cd20/#references or scan the QR code below.

#### Bio X Cell, Inc.

bxcell.com 1.866.787.3444

customerservice@bxcell.com

Conditions: For Research Use Only. Not for use in diagnostic or therapeutic procedures. Not for resale.



Bio X Cell, Inc.

bxcell.com 1.866.787.3444

customerservice@bxcell.com

Conditions: For Research Use Only. Not for use in diagnostic or therapeutic procedures. Not for resale.