

# Technical Data Sheet

InVivoMAb anti-mouse RGMb



**Attention:** Use of this product constitutes an agreement to Bio X Cell's Terms and Conditions which are included with this product in print and can also be found at <https://bioxcell.com/terms-and-conditions>.

## Lot Specific Information

Lot Number: Lot Specific\*  
Volume: Lot Specific\*  
Concentration: Lot Specific\* (generally 4 to 11 mg/ml) \*  
Total Protein: Lot Specific\*

\*This information will be noted on the certificate of analysis that ships with this product.

## Product Information

Catalog Number:	BE0400
Clone:	307.9D1
Isotype:	Rat IgG2a, $\kappa$
Recommended Isotype Control(s):	InVivoMAb rat IgG2a isotype control, anti-trinitrophenol
Recommended Dilution Buffer:	InVivoPure pH 6.0T Dilution Buffer
Immunogen:	Recombinant murine RGMb
Reported Applications:	<i>in vivo</i> RGMb blockade ELISA Flow cytometry
Formulation:	PBS, pH 6.0 Contains no stabilizers or preservatives
Endotoxin:	<2EU/mg (<0.002EU/ $\mu$ g) Determined by LAL gel clotting assay
Purity:	>95% Determined by SDS-PAGE
Sterility:	0.2 $\mu$ m filtered
Production:	Purified from cell culture supernatant in an animal-free facility
Purification:	Protein G
Molecular Weight:	150 kDa

## Description

The 307.9D1 monoclonal antibody reacts with mouse Repulsive Guidance Molecule b (RGMb), a member of the RGM family which consists of RGMa, RGMb, and RGMc/hemojuvelin. RGMs are GPI-anchored membrane proteins that bind bone morphogenetic proteins (BMPs) and neogenin. BMPs have diverse roles in many processes, including cell proliferation, differentiation, and apoptosis. RGMb has a well-elucidated role in neural development, with RGMb knock-out mice dying 2-3 weeks after birth. RGMb is also expressed by macrophages and can regulate IL-6 expression. Recently, it has been shown that PD-L2 also binds to RGMb and that blocking the RGMb-PD-L2 interaction impairs the development of respiratory tolerance but blocking the PD-1-PD-L2 interaction does not. The 307.9D1 antibody has been shown to block the binding of RGMb to PD-L2 and BMP-2/4.

## Storage

Store at the stock concentration at 4°C. **Do not freeze.**

It is not uncommon for a floccule or precipitate to appear during storage. The floccule is typically buffer salts precipitating out of solution or a small bit of protein aggregation. For information on how to remove floccules or precipitates see our FAQ's at <https://bioxcell.com/faqs>.

## Protocol Information

Since applications vary, each investigator should use the application references as a guide to help estimate the appropriate dose or concentration. The dose or concentration can be further optimized experimentally in a dose response or titration experiment.

## Application References

For a complete list of references, visit [https://bioxcell.com/be0400?bxcs=9k1b3a#tab\\_references](https://bioxcell.com/be0400?bxcs=9k1b3a#tab_references) or scan the QR code below.



---

**Bio X Cell, LLC**

<https://bioxcell.com>

+1-866-787-3444

[customerservice@bioxcell.com](mailto:customerservice@bioxcell.com)

*Conditions: For research use only. Not for use in diagnostic or therapeutic procedures.*

*Not for resale.*

**Bio X Cell, Bio X Cell logo, and all other trademarks are the property of Bio X Cell, LLC © 2024 Bio X Cell, LLC**