# **Technical Data Sheet**

RecombiMAb anti-mouse OX40 (CD134)



Attention: Use of this product constitutes an agreement to Bio X Cell's Terms and Conditions which are included with this product in print and can also be found at <a href="https://bioxcell.com/terms-and-conditions">https://bioxcell.com/terms-and-conditions</a>.

## Lot Specific Information

Lot Number: Lot Specific\* Volume: Lot Specific\*

Concentration: Lot Specific\* (generally 4 to 11 mg/ml) \*

**Total Protein:** Lot Specific\*

\*This information will be noted on the certificate of analysis that ships with this product.

#### **Product Information**

**Catalog Number: CP017** 

Clone: OX86-CP017 Isotype: Mouse IgG2a, κ

Recommended Isotype Control(s): InVivoPlus mouse IgG2a isotype control, unknown specificity

**Recommended Dilution Buffer:** InVivoPure pH 7.0 Dilution Buffer

Immunogen: Recombinant mouse OX40-CD4 chimeric protein

in vivo OX40 activation\* **Reported Applications:** 

in vitro OX40 activation\* Western blot\*

\*Reported for the original rat lgG1 OX-86 antibody

Formulation: PBS, pH 7.0

Contains no stabilizers or preservatives

**Endotoxin:** <1EU/ma (<0.001EU/ua)

Determined by LAL gel clotting assay

**Purity:** 

Determined by SDS-PAGE

Sterility: 0.2 µm filtration

**Production:** Purified from HEK293 cell supernatant in an animal-free facility

**Purification:** Protein G <5% Aggregation:

Determined by SEC

RRID:

**Molecular Weight:** 150 kDa

#### **Murine Pathogen Test Results**

Mouse Norovirus: Negative, Mouse Parvovirus: Negative, Mouse Minute Virus: Negative, Mouse Hepatitis Virus: Negative, Reovirus Screen: Negative, Lymphocytic Choriomeningitis virus: Negative, Lactate Dehydrogenase-Elevating Virus: Negative, Mouse Rotavirus: Negative, Theiler's Murine Encephalomyelitis: Negative, Ectromelia/Mousepox Virus: Negative, Hantavirus: Negative, Polyoma Virus: Negative, Mouse Adenovirus: Negative, Sendai Virus: Negative, Mycoplasma Pulmonis: Negative, Pneumonia Virus of Mice: Negative, Mouse Cytomegalovirus: Negative, K Virus: Negative

## **Description**

The OX86-CP017 monoclonal antibody is a chimeric version of the original OX-86 antibody. The variable domain sequences are identical to the original OX-86 but the constant region sequences have been switched from rat IgG1 to mouse lgG2a. The OX86-CP017 antibody contains no Fc mutations just as the original rat lgG1 antibody does not. OX86-CP017 reacts with mouse OX-40 also known as CD134. OX-40 is a 50 kDa type I membrane glycoprotein and a member of the

Bio X Cell, LLC Page 1 of 2 TNF receptor superfamily. OX-40 is expressed on activated CD4 and CD8 T cells, but is not found on resting naïve T cells or most resting memory T cells. Although it was originally thought that OX-40 expression was restricted to activated conventional T cells, it has now been visualized on activated regulatory T cells, NKT cells, NK cells, and neutrophils. OX-40 plays a major role in regulating both CD4 and CD8 T cell clonal expansion. It provides a costimulatory signal to an antigenreacting naïve T cells to prolong proliferation, as well as augment the production of several cytokines. This is demonstrated by OX-40 knockout mice which generate fewer primary effector CD4 T cells after immunization. Furthermore, in vivo treatment with an agonist antibody to OX-40 has been shown to strongly enhance the generation of antigen-specific effector T cells and prevent the induction of T cell tolerance. The OX-86 antibody is an agonistic antibody that has been shown to delay tumor growth in vivo.

### **Storage**

Store at the stock concentration at 4°C. **Do not freeze.** 

It is not uncommon for a floccule or precipitate to appear during storage. The floccule is typically buffer salts precipitating out of solution or a small bit of protein aggregation. For information on how to remove floccules or precipitates see our FAQ's at <a href="https://bioxcell.com/fags">https://bioxcell.com/fags</a>.

#### **Protocol Information**

Since applications vary, each investigator should use the application references as a guide to help estimate the appropriate dose or concentration. The dose or concentration can be further optimized experimentally in a dose response or titration experiment.

Bio X Cell, LLC

https://bioxcell.com +1-866-787-3444

customerservice@bioxcell.com

Conditions: For research use only. Not for use in diagnostic or therapeutic procedures.

Not for resale.

Bio X Cell, Bio X Cell logo, and all other trademarks are the property of Bio X Cell, LLC © 2024 Bio X Cell, LLC

Bio X Cell, LLC Page 2 of 2