# **Technical Data Sheet**

RecombiMAb anti-mouse PD-L1 (B7-H1) (LALA-PG)



<u>Attention</u>: Use of this product constitutes an agreement to Bio X Cell's Terms and Conditions which are included with this product in print and can also be found at <a href="https://bioxcell.com/terms-and-conditions">https://bioxcell.com/terms-and-conditions</a>.

# Lot Specific Information

Lot Number: Lot Specific\* Volume: Lot Specific\*

Concentration: Lot Specific\* (generally 4 to 11 mg/ml) \*

Total Protein: Lot Specific\*

\*This information will be noted on the certificate of analysis that ships with this product.

#### **Product Information**

Catalog Number: CP154

 Clone:
 10F.9G2™-CP154

 Isotype:
 Mouse IgG2a, κ

Recommended Isotype Control(s): RecombiMAb mouse IgG2a (LALA-PG) isotype control, anti-hen egg lysozyme

**Recommended Dilution Buffer:** InVivoPure pH 7.0 Dilution Buffer

Mutations: LALA-PG Immunogen: Mouse CD274

**Reported Applications:** in vivo PD-L1 blockade\*

Immunofluorescence\*

Immunohistochemistry (frozen)\*

Flow cytometry\* Western blot\*

\*Reported for the original rat lgG2a 10F.9G2™ antibody

**Formulation:** PBS, pH 7.0

Contains no stabilizers or preservatives

**Endotoxin:** <1EU/mg (<0.001EU/μg)

Determined by LAL gel clotting assay

**Purity:** >95%

Determined by SDS-PAGE

Sterility: 0.2 µm filtration

**Production:** Purified from CHO cell supernatant in an animal-free facility

Purification: Protein G
Aggregation: <5%

Determined by SEC

**RRID:** 

Molecular Weight: 150 kDa

#### Murine Pathogen Test Results

Mouse Norovirus: Negative, Mouse Parvovirus: Negative, Mouse Minute Virus: Negative, Mouse Hepatitis Virus: Negative, Reovirus Screen: Negative, Lymphocytic Choriomeningitis virus: Negative, Lactate Dehydrogenase-Elevating Virus: Negative, Mouse Rotavirus: Negative, Theiler's Murine Encephalomyelitis: Negative, Ectromelia/Mousepox Virus: Negative, Hantavirus: Negative, Polyoma Virus: Negative, Mouse Adenovirus: Negative, Sendai Virus: Negative, Mycoplasma Pulmonis: Negative, Pneumonia Virus of Mice: Negative, Mouse Cytomegalovirus: Negative, K Virus: Negative

### Description

The 10F.9G2™-CP154 monoclonal antibody is a recombinant chimeric version of the original 10F.9G2™ antibody. The

Bio X Cell, LLC Page 1 of 2

variable domain sequences are identical to the original 10F.9G2<sup>™</sup> but the constant region sequences have been switched from rat IgG2b to mouse IgG2a. The 10F.9G2<sup>™</sup>-CP154 antibody contains a LALA-PG mutation in the Fc fragment rendering it unable to bind to endogenous Fcγ receptors. The 10F.9G2<sup>™</sup>-CP154 antibody reacts with mouse PD-L1 (programmed death ligand 1) also known as B7-H1 or CD274. PD-L1 is a 40 kDa type I transmembrane protein that belongs to the B7 family of the Ig superfamily. PD-L1 is expressed on T lymphocytes, B lymphocytes, NK cells, dendritic cells, as well as IFNγ stimulated monocytes, epithelial cells and endothelial cells. PD-L1 binds to its receptor, PD-1, found on CD4 and CD8 thymocytes as well as activated T and B lymphocytes and myeloid cells. Engagement of PD-L1 with PD-1 leads to inhibition of TCR-mediated T cell proliferation and cytokine production. PD-L1 is thought to play an important role in tumor immune evasion. Induced PD-L1 expression is common in many tumors and results in increased resistance of tumor cells to CD8 T cell mediated lysis. In mouse models of melanoma, tumor growth can be transiently arrested via treatment with antibodies which block the interaction between PD-L1 and PD-1. The 10F.9G2<sup>™</sup> antibody has been shown to block the interaction between PD-L1 and B7-1 (CD80).

## **Storage**

Store at the stock concentration at 4°C. Do not freeze.

It is not uncommon for a floccule or precipitate to appear during storage. The floccule is typically buffer salts precipitating out of solution or a small bit of protein aggregation. For information on how to remove floccules or precipitates see our FAQ's at <a href="https://bioxcell.com/fags">https://bioxcell.com/fags</a>.

#### **Protocol Information**

Since applications vary, each investigator should use the application references as a guide to help estimate the appropriate dose or concentration. The dose or concentration can be further optimized experimentally in a dose response or titration experiment.

Bio X Cell, LLC https://bioxcell.com +1-866-787-3444 customerservice@bioxcell.com Conditions: For research use only. Not for use in diagnostic or therapeutic procedures.

Not for resale.

Bio X Cell, Bio X Cell logo, and all other trademarks are the property of Bio X Cell, LLC © 2024 Bio X Cell, LLC

Bio X Cell, LLC Page 2 of 2